ELSEVIER

Analytica Chimica Acta 501 (2004) 255–257

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Adányi, N.
—, Tóth-Markus, M., Szabó, E.E., Váradi, M., Sammartino, M.P., Tomassetti, M. and Campanella, L.
Investigation of organic phase biosensor for measuring glucose in flow injection analysis system 219
Alizadeh, N., see Shamsipur, M. 55
Aller, J., see Dhadwal, H.S. 205

Babaei, A., see Shams, E. 119
Bacaloni, A., see Laganà, A. 79
Barbosa, J., see Beltrán, J.L. 137
Barrón, D., see Beltrán, J.L. 137
Beltrán, J.L.
—, Jiménez-Lozano, E., Barrón, D. and Barbosa, J.
Determination of quinolone antimicrobial agents in strongly overlapped peaks from capillary electrophoresis using multivariate calibration methods 137
Berry, R.J., see Du, Y.P. 183
Bi, S., see Long, X. 89
Bosch-Reig, F., see Doménech-Carbó, A. 103
Bulatov, V., see Litani-Barzilai, I. 151

Cámara, C., see Dietz, C. 157
Campanella, L., see Adányi, N. 219
Chan, B.M.C., see Luong, J.H.T. 61
Chen, H., see Ma, Y. 25
Chen, H.-L., see Fan, L.-Y. 129
Chen, H.-Y.
— and Preston, M.R.
Measurement of semi-volatile azaarenes in airborne particulate and vapor phase 71
Chen, X.-G., see Fan, L.-Y. 129
Chen, Z.
—, Nishiyama, T., Uchiyama, K. and Hobo, T.
Electrochromatographic enantioseparation using chiral ligand exchange monolithic sol–gel column 17
Combs, R.J., see Tarumi, T. 235
Cruz Ortiz, M., see García, I. 193

De Leva, I., see Laganà, A. 79
De Vito, I.E.
—, Olsina, R.A., Raba, J. and Masi, A.N.
Flow injection preconcentration by chemofiltration and spectrophotometric determination of Gd 11
Denery, J.R.
—, Dragull, K., Tang, C.S. and Li, Q.X.
Pressurized fluid extraction of carotenoids from *Haematococcus pluvialis* and *Dunaliella salina* and kavalactones from *Piper methysticum* 175
Dhadwal, H.S.
—, Kemp, P., Aller, J. and Megan Dantzler, M.
Capillary waveguide nucleic acid based biosensor 205
Dietz, C.
—, Sanz Landaluze, J., Ximénez-Embún, P., Madrid-Albarrán, Y. and Cámara, C.
Volatile organo-selenium speciation in biological matter by solid phase microextraction–moderate temperature multicapillary gas chromatography with microwave induced plasma atomic emission spectrometry detection 157
Ding, Y., see Wang, H. 37
Doménech-Carbó, A.
—, Sánchez-Ramos, S., Yusá-Marco, D.J., Moya-Moreno, M., Gimeno-Adelantado, J.V. and Bosch-Reig, F.
Electrochemical determination of boron in minerals and ceramic materials 103
Dragull, K., see Denery, J.R. 175
Du, Y.P.
—, Liang, Y.Z., Jiang, J.H., Berry, R.J. and Ozaki, Y.
Spectral regions selection to improve prediction ability of PLS models by changeable size moving window partial least squares and searching combination moving window partial least squares 183

Faberi, A., see Laganà, A. 79
Fago, G., see Laganà, A. 79
Fan, L.-Y.
—, Chen, H.-L., Zhang, J.-Y., Chen, X.-G. and Hu, Z.-D.
Continuous on-line derivatization and determination of amino acids by a microfluidic capillary electrophoresis system with a continuous sample introduction interface 129
Faurie, R., see Harbeck, C. 249

Gan, N., see Long, X. 89
Ganjali, M.R., see Shamsipur, M. 55
García, I.
—, Sarabia, L.A. and Cruz Ortiz, M.
Detection capability of tetracyclines analysed by a fluorescence technique: comparison between bilinear and trilinear partial least squares models 193
Gardner, M.
— and van Veen, E.
Comparability of copper complexation capacity determination by absorption by chelating resin column and cathodic stripping voltammetry 113
Gimeno-Adelantado, J.V., see Doménech-Carbó, A. 103
Gridin, V.V., see Litani-Barzilai, I. 151

Harbeck, C.
—, Faurie, R. and Scheper, T.
Application of near-infrared spectroscopy in the sugar industry for the detection of betaine 249
Hobo, T., see Chen, Z. 17
Hosseini, M., see Shamsipur, M. 55
Hu, Z.-D., see Fan, L.-Y. 129

Jiang, J.H., see Du, Y.P. 183
Jiménez-Lozano, E., see Beltrán, J.L. 137
Jin, X., see Ma, Y. 25

Kalogerakis, N., see Psillakis, E. 3
Karami, A.R., see Shamsipur, M. 55

doi:10.1016/S0003-2670(03)01564-2

Kato, M., see Miura, M. 45
Kemp, P., see Dhadwal, H.S. 205
Kroutil, R.T., see Tarumi, T. 235

Lachance, B., see Luong, J.H.T. 61
Laganà, A.
—, Bacaloni, A., De Leva, I., Faberi, A., Fago, G. and Marino, A.
Analytical methodologies for determining the occurrence of endocrine disrupting chemicals in sewage treatment plants and natural waters 79
Lei, C., see Wang, H. 37
Li, J., see Wang, H. 37
Li, Q.X., see Denery, J.R. 175
Li, S.
— and Zhao, S.
Spectrophotometric determination of cationic surfactants with benzothiaxolylidiazoaminoazobenzene 99
Li, X., see Luong, J.H.T. 61
Liang, Y.Z., see Du, Y.P. 183
Litani-Barzilai, I.
—, Bulatov, V., Gridin, V.V. and Schechter, I.
Detector based on time-resolved ion-induced voltage in laser multiphoton ionization and laser-induced fluorescence 151
Long, X.
—, Bi, S., Ni, H., Tao, X. and Gan, N.
Resonance Rayleigh scattering determination of trace amounts of Al in natural waters and biological samples based on the formation of an Al(III)–morin–surfactant complex 89
Luong, J.H.T.
—, Xiao, C., Lachance, B., Mircea Leabu, Š., Li, X., Uniyal, S. and Chan, B.M.C.
Extended applications of electric cell-substrate impedance sensing for assessment of the structure–function of α2β1 integrin 61
Ma, Y.
—, Zhou, M., Jin, X., Zhang, Z., Teng, X. and Chen, H.
Flow-injection chemiluminescence assay for ultra-trace determination of DNA using rhodamine B–Ce(IV)-DNA ternary system in sulfuric acid media 25
Madrid-Albarrán, Y., see Dietz, C. 157
Mantzavinos, D., see Psillakis, E. 3
Marino, A., see Laganà, A. 79
Masi, A.N., see De Vito, I.E. 11
Megan Dantzler, M. see Dhadwal, H.S. 205
Mircea Leabu, Š., see Luong, J.H.T. 61
Miura, M.
—, Miyahara, T., Kato, M. and Toyo'oka, T.
Development of a new fluorescent probe for transition metal cations based upon fluorescence resonance energy transfer 45
Miyahara, T., see Miura, M. 45
Momeni, A., see Shamsipur, M. 55
Moya-Moreno, M., see Doménech-Carbó, A. 103

Ni, H., see Long, X. 89
Nishiyama, T., see Chen, Z. 17

Olsina, R.A., see De Vito, I.E. 11
Ozaki, Y., see Du, Y.P. 183
Özkan, S.A.
—, Uslu, B. and Zuman, P.
Electrochemical oxidation of sildenafil citrate (Viagra) on carbon electrodes 227

Poursaberi, T., see Shamsipur, M. 55
Preston, M.R., see Chen, H.-Y. 71
Psillakis, E.
—, Mantzavinos, D. and Kalogerakis, N.
Development of a hollow fibre liquid phase microextraction method to monitor the sonochemical degradation of explosives in water 3

Qi, H.
— and Zhang, C.
Homogeneous electrogenerated chemiluminescence immunoassay for the determination of digoxin 31

Raba, J., see De Vito, I.E. 11
Rokushika, S., see Yamamoto, F.M. 143

Sammartino, M.P., see Adányi, N. 219
Sánchez-Ramos, S., see Doménech-Carbó, A. 103
Sanz Landaluze, J., see Dietz, C. 157
Sarabia, L.A., see García, I. 193
Schechter, I., see Litani-Barzilai, I. 151
Scheper, T., see Harbeck, C. 249
Shams, E.
—, Babaei, A. and Soltaninezhad, M.
Simultaneous determination of copper, zinc and lead by adsorptive stripping voltammetry in the presence of Morin 119
Shamsipur, M.
—, Poursaberi, T., Karami, A.R., Hosseini, M., Momeni, A., Alizadeh, N., Yousefi, M. and Ganjali, M.R.
Development of a new fluorimetric bulk optode membrane based on 2,5-thiophenylbis(5-*tert*-butyl-1,3-benzexazole) for nickel(II) ions 55
Shen, G., see Wang, H. 37
Shizhong, C.
Study on volatilization of ytterbium as 1-(2-pyridylazo)-2-naphthol chelate from electrothermal vaporizer for sample introduction in inductively coupled plasma atomic emission spectrometry 169
Small, G.W., see Tarumi, T. 235
Soltaninezhad, M., see Shams, E. 119
Szabó, E.E., see Adányi, N. 219

Tang, C.S., see Denery, J.R. 175
Tao, X., see Long, X. 89
Tarumi, T.
—, Small, G.W., Combs, R.J. and Kroutil, R.T.
High-pass filters for spectral background suppression in airborne passive Fourier transform infrared spectrometry 235
Teng, X., see Ma, Y. 25
Tomassetti, M., see Adányi, N. 219
Tóth-Markus, M., see Adányi, N. 219
Toyo'oka, T., see Miura, M. 45

Uchiyama, K., see Chen, Z. 17
Uniyal, S., see Luong, J.H.T. 61
Uslu, B., see Özkan, S.A. 227

van Veen, E., see Gardner, M. 113
Váradi, M., see Adányi, N. 219

Wang, H.
—, Li, J., Ding, Y., Lei, C., Shen, G. and Yu, R.
Novel immunoassay for *Toxoplasma gondii*-specific immunoglobulin G using a silica nanoparticle-based biomolecular immobilization method 37

Xiao, C., see Luong, J.H.T. 61
Ximénez-Embún, P., see Dietz, C. 157

Yamamoto, F.M.
— and Rokushika, S.
Study of pH dependence using molecular modeling in reversed-phase liquid chromatography of 1-phenyl-3-methyl-5-pyrazolone derivatives of aldose 143
Yousefi, M., see Shamsipur, M. 55
Yu, R., see Wang, H. 37
Yusá-Marco, D.J., see Doménech-Carbó, A. 103

Zhang, C., see Qi, H. 31
Zhang, J.-Y., see Fan, L.-Y. 129
Zhang, Z., see Ma, Y. 25
Zhao, S., see Li, S. 99
Zhou, M., see Ma, Y. 25
Zuman, P., see Özkan, S.A. 227